

EAST SEARCH

10/805,219

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	4	345/419-424,426-428,581, 611,613.ccls and (edge adj enhanc\$4) and saturat\$5	US-PGPU B; USPAT	OR	ON	2005/09/14 13:49
L3	4	"345"/\$.ccls. and ((expand\$6 near5 bits) same (error or round\$4 or precision)) same increas\$5	US-PGPU B; USPAT	OR	ON	2005/09/14 13:50
L4	7	345/419-424,426-428,581, 611,613.ccls and data adj expan\$6 and data adj bits and imag\$4	US-PGPU B; USPAT	OR	ON	2005/09/14 13:51
L5	53	345/419-424,426-428,581, 611,613.ccls. and edge near3 enhanc\$4	US-PGPU B; USPAT	OR	ON	2005/09/14 13:53
L6	2	345/419-424,426-428,581, 611,613.ccls and data adj expan\$6 same word\$1 and data adj bits and imag\$4	US-PGPU B; USPAT	OR	ON	2005/09/14 13:54
L7	5752	345/419-424,426-428,581, 611,613.ccls.	US-PGPU B; USPAT	OR	ON	2005/09/14 13:55
L8	1124	345/419-424,426-428,581, 611,613.ccls and data same increas\$4 and data same reduc\$5	US-PGPU B; USPAT	OR	ON	2005/09/14 13:56
L9	34	345/419-424,426-428,581, 611,613.ccls. and data same increas\$4 same word and data same reduc\$5 same word	US-PGPU B; USPAT	OR	ON	2005/09/14 13:56
L10	2	345/419-424,426-428,581, 611,613.ccls and (data adj expan\$6 same word\$1 and data adj bits same imag\$4) and edge	US-PGPU B; USPAT	OR	ON	2005/09/14 14:01
L11	18	345/419-424,426-428,581, 611,613.ccls. and edge adj enhanc\$4	US-PGPU B; USPAT	OR	ON	2005/09/14 14:04
L12	1	"5,717,789" pn. and edge adj enhanc\$4	US-PGPU B; USPAT	OR	ON	2005/09/14 14:05

L13	12	"708"/\$.ccls. and ((expand\$6 near5 bits) same (error or round\$4 or precision)) same increas\$5	US-PGPU B; USPAT	OR	ON	2005/09/14 14:32
S1	1	"6795087" pn	US-PGPU B; USPAT	OR	ON	2005/09/13 16:59
S2	43	"708"/\$.ccls. and data adj expan\$6 and data adj bits and imag\$4	US-PGPU B; USPAT	OR	ON	2005/09/14 13:51
S3	679	data adj expan\$6 and data adj bits and imag\$4	US-PGPU B; USPAT	OR	ON	2005/08/16 13:39
S4	36	"708"/\$.ccls. and data adj expan\$6 same word\$1 and data adj bits and imag\$4	US-PGPU B; USPAT	OR	ON	2005/08/16 13:39
S5	110	data adj expan\$6 same word\$1 and data adj bits and imag\$4	US-PGPU B; USPAT	OR	ON	2005/09/14 13:54
S6	35	"708"/\$.ccls. and (data adj expan\$6 same word\$1 and data adj bits same imag\$4) and edge	US-PGPU B; USPAT	OR	ON	2005/08/16 13:40
S7	62	(data adj expan\$6 same word\$1 and data adj bits same imag\$4) and edge	US-PGPU B; USPAT	OR	ON	2005/09/14 14:01
S8	630	(expand\$6 near5 bits) same (error or round\$4 or precision)	US-PGPU B; USPAT	OR	ON	2005/08/16 13:42
S10	112	((expand\$6 near5 bits) same (error or round\$4 or precision)) same increas\$5	US-PGPU B; USPAT	OR	ON	2005/08/16 13:43
S11	4	"345"/\$.ccls. and ((expand\$6 near5 bits) same (error or round\$4 or precision)) same increas\$5	US-PGPU B; USPAT	OR	ON	2005/08/16 13:43
S13	2	"382"/\$.ccls. and ((expand\$6 near5 bits) same (error or round\$4 or precision)) same increas\$5	US-PGPU B; USPAT	OR	ON	2005/08/16 13:44
S14	18	382/266,267,268,269.ccls. and (expand\$\$ near5 bits) and (error or round\$4 or precision)	US-PGPU B; USPAT	OR	ON	2005/08/16 13:44

S15	18	382/266,267,268,269.ccls. and (expand\$ near5 bits) and (error or round\$4 or precision) and increas\$5	US-PGPU B; USPAT	OR	ON	2005/08/16 13:45
S16	8	382/266,267,268,269.ccls. and (expand\$ near5 bits) and (error or round\$4 or precision) near4 increas\$5	US-PGPU B; USPAT	OR	ON	2005/08/16 13:45
S17	25	382/266,267,268,269.ccls. and (expand\$4 or increas\$4) near5 (bits or precision)	US-PGPU B; USPAT	OR	ON	2005/08/16 13:46
S18	204	382/266,267,268,269.ccls. and edge near3 enhanc\$4	US-PGPU B; USPAT	OR	ON	2005/09/14 13:53
S19	100	382/266,267,268,269.ccls. and edge adj enhanc\$4	US-PGPU B; USPAT	OR	ON	2005/09/14 14:01
S20	14	382/266,267,268,269.ccls. and (edge adj enhanc\$4) and saturat\$5	US-PGPU B; USPAT	OR	ON	2005/08/16 13:48
S21	50	"382"/\$.ccls. and (edge adj enhanc\$4) and saturat\$5	US-PGPU B; USPAT	OR	ON	2005/08/16 13:47
S22	11	"345"/\$.ccls. and (edge adj enhanc\$4) and saturat\$5	US-PGPU B; USPAT	OR	ON	2005/09/14 13:46
S23	43	"708"/\$.ccls. and data adj expan\$6 and data adj bits and imag\$4	US-PGPU B; USPAT	OR	ON	2005/09/13 16:46
S24	686	data adj expan\$6 and data adj bits and imag\$4	US-PGPU B; USPAT	OR	ON	2005/09/13 16:46
S25	36	"708"/\$.ccls. and data adj expan\$6 same word\$1 and data adj bits and imag\$4	US-PGPU B; USPAT	OR	ON	2005/09/13 16:46
S26	110	data adj expan\$6 same word\$1 and data adj bits and imag\$4	US-PGPU B; USPAT	OR	ON	2005/09/13 16:46
S27	35	"708"/\$.ccls. and (data adj expan\$6 same word\$1 and data adj bits same imag\$4) and edge	US-PGPU B; USPAT	OR	ON	2005/09/13 16:46
S28	62	(data adj expan\$6 same word\$1 and data adj bits same imag\$4) and edge	US-PGPU B; USPAT	OR	ON	2005/09/13 16:46
S29	634	(expand\$6 near5 bits) same (error or round\$4 or precision)	US-PGPU B; USPAT	OR	ON	2005/09/13 16:47

S30	15	((expand\$6 near5 bits) same (error or round\$4 or precision)) same edge	US-PGPU B; USPAT	OR	ON	2005/09/13 16:47
S31	113	((expand\$6 near5 bits) same (error or round\$4 or precision)) same increas\$5	US-PGPU B; USPAT	OR	ON	2005/09/13 16:47
S33	12	"708"/\$.ccls. and ((expand\$6 near5 bits) same (error or round\$4 or precision)) same increas\$5	US-PGPU B; USPAT	OR	ON	2005/09/13 16:47
S34	2	"382"/\$.ccls. and ((expand\$6 near5 bits) same (error or round\$4 or precision)) same increas\$5	US-PGPU B; USPAT	OR	ON	2005/09/13 16:48
S35	113	((expand\$6 near5 bits) same (error or round\$4 or precision)) same increas\$5	US-PGPU B; USPAT	OR	ON	2005/09/13 16:48
S36	2	"382"/\$.ccls. and ((expand\$6 near5 bits) same (error or round\$4 or precision)) same increas\$5	US-PGPU B; USPAT	OR	ON	2005/09/13 16:48
S37	18	382/266,267,268,269.ccls. and (expand\$\$ near5 bits) and (error or round\$4 or precision)	US-PGPU B; USPAT	OR	ON	2005/09/13 16:48
S38	18	382/266,267,268,269.ccls. and (expand\$\$ near5 bits) and (error or round\$4 or precision) and increas\$5	US-PGPU B; USPAT	OR	ON	2005/09/13 16:48
S39	8	382/266,267,268,269.ccls. and (expand\$\$ near5 bits) and (error or round\$4 or precision) near4 increas\$5	US-PGPU B; USPAT	OR	ON	2005/09/13 16:48
S40	25	382/266,267,268,269.ccls. and (expand\$4 or inreas\$4) near5 (bits or precision)	US-PGPU B; USPAT	OR	ON	2005/09/13 16:49
S41	205	382/266,267,268,269.ccls. and edge near3 enhanc\$4	US-PGPU B; USPAT	OR	ON	2005/09/13 16:49
S42	101	382/266,267,268,269.ccls. and edge adj.enhanc\$4	US-PGPU B; USPAT	OR	ON	2005/09/13 16:49
S43	14	382/266,267,268,269.ccls. and (edge adj.enhanc\$4) and saturat\$5	US-PGPU B; USPAT	OR	ON	2005/09/13 16:49

S44	50	"382"/\$.ccls. and (edge adj enhanc\$4) and saturat\$5	US-PGPU B; USPAT	OR	ON	2005/09/13 16:49
S45	11	"345"/\$.ccls. and (edge adj enhanc\$4) and saturat\$5	US-PGPU B; USPAT	OR	ON	2005/09/13 16:49
S46	1	"4747154".pn.	US-PGPU B; USPAT	OR	ON	2005/09/14 11:18
S47	15	((expand\$6 near5 bits) same (error or round\$4 or precision)) same edge	US-PGPU B; USPAT	OR	ON	2005/09/13 17:11
S48	217	(expand\$6 near5 bits) same edge	US-PGPU B; USPAT	OR	ON	2005/09/13 17:11
S49	18	"345"/\$.ccls. and (expand\$6 near5 bits) same edge	US-PGPU B; USPAT	OR	ON	2005/09/14 12:04
S50	1	"5771046".pn. and (expand\$6 near5 bits) same edge	US-PGPU B; USPAT	OR	ON	2005/09/14 11:10
S51	1	"20010013872"	US-PGPU B; USPAT	OR	ON	2005/09/14 11:10
S52	1	"6388673".pn.	US-PGPU B; USPAT	OR	ON	2005/09/14 11:22
S53	1	"6166717".pn	US-PGPU B; USPAT	OR	ON	2005/09/14 11:22
S54	19	("4747154" "4807158" "4908 780" "5426733" "5548706" " 5720021" "5903276" "60845 99" "6128025" "6166717" "6 236405" "6339434" "634891 7" "6388673" "6404930" "64 48976" "6501481" "6504550" "6573905").PN.	US-PGPU B; USPAT	OR	ON	2005/09/14 12:04

Interference Search 10/805,219

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	2	(receiv\$4 same data and increas\$4 same data same input and perform\$4 same imag\$4 same process\$4 and enhanc\$4 same edge and decreas\$4 same data) clm.	US-PGPU B, USPAT	OR	ON	2005/09/14 14:38

Day : Wednesday

Date: 9/14/2005

Time: 14:39:48

 PALM INTRANET

Inventor Information for 10/805219

Inventor Name	City	State/Country
GENBA, AKIRA	SHINAGAWA	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

[Back to PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Wednesday

Date: 9/14/2005

Time: 14:39:55

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = GENBA

First Name = AKIRA

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09737502	6795087	150	12/18/2000	IMAGE PROCESSOR CAPABLE OF EDGE ENHANCEMENT IN SATURATED REGION	GENBA, AKIRA
10805219	Not Issued	30	03/22/2004	Image processor capable of edge enhancement in saturated region	GENBA, AKIRA

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
<input type="text" value="GENBA"/>	<input type="text" value="AKIRA"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)